



चिचिला गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
(सामान्य प्रशासन शाखा)
चिचिला, संजुवासभा, १ नं प्रदेश, नेपाल

Total Station (Ts) खरिद सम्बन्धी सूचना

प्रकाशित मिति: २०७८/०१/२२ गते

प्रस्तुत विषयमा यस चिचिला गाउँपालिका, गाउँ कार्यपालिकाको कार्यालयले उत्पादक वा अधिकृत बिक्रेताद्वारा निर्धारित दरमा क्याटलग सपिड विधिबाट Total Station (TS) खरिद गर्नुपर्ने भएकाले यो सूचना प्रकाशित भएको मितिले ७ (सात) दिनभित्र इच्छुक उत्पादक वा अधिकृत बिक्रेताले उत्पादनको स्पेशिफिकेशन, गुणस्तर, मूल्य र सुविधा सहितको विवरण, क्याटलग वा ब्रोसर संलग्न राखी सिलबन्दी सहितको प्रस्ताव यस कार्यालयमा दर्ता गराउन हुन जानकारी गराइन्छ । विस्तृत जानकारीको लागि यस कार्यालयको Website: www.chichilamun.gov.np मा हेर्न सकिन्छ ।

Contract No.	Particular	Quantity	Specification
CRM/S/TS01/077/078	Total Station	1 Unit	As mentioned in technical specification

.....
(शुक्रादेवी राई)
प्रमुख प्रशासकीय अधिकृत



चिचिला गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
(सामान्य प्रशासन शाखा)

चिचिला, संखुवासभा
१ नं. प्रदेश, नेपाल

पत्र सङ्ख्या:- ०७७/०७८

च.न. १०३३

Total Station (Ts) खरिद सम्बन्धी सूचना ।

प्रकाशित मिति: २०७८/०९/२२ गते

प्रस्तुत विषयमा यस चिचिला गाउँपालिका, गाउँ कार्यपालिकाको कार्यालयले उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा क्याटलग सपिड विधिबाट Total Station (TS) खरिद गर्नुपर्ने भएकाले यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र इच्छुक उत्पादक वा अधिकृत विक्रेताले उत्पादनको स्पेशिफिकेशन, गुणस्तर, मूल्य र सुविधा सहितको विवरण, क्याटलग वा ब्रोसर संलग्न राखी सिलबन्दी सहितको प्रस्ताव यस कार्यालयमा दर्ता गराउन हुन जानकारी गराइन्छ । विस्तृत जानकारीको लागि यस कार्यालयको Website: www.chichilamun.gov.np मा हेर्न सकिन्छ ।

Contract No.	Vehicles	Quantity	Specification
CRM/S/TS01/077/078	Total Station	1 Unit	As mentioned in technical specification

(शुक्रादेवी राई)

प्रमुख प्रशासकीय अधिकृत
प्रमुख प्रशासकीय अधिकृत

सक्षम निजामति प्रशासन: विकास, समृद्धी र शुसासन

Capable Civil Administration: Development, Prosperity and Good Governance

✉ chichilagaunpalika@gmail.com



Technical Specification of Reflector less Electronic

Distance Measurement	
Range	
Reflector 1 Prism	
Reflector 3 Prism	3500m/ 4000m
Reflector less	5000m
Unit	1000m
Accuracy	Ft/m
Reflector	
Reflector less	+/- (1+1ppm*D)mm
Measuring Interval	+/- (3+2ppm*D)mm
With Reflector	
Without Reflector	Fine<1.3s, Tracking<0.4s
Measuring system	0.3s-3s
Basic Frequency	
Wave length	Coaxial
Unit	685nm
Atmospheric correction	Meter/ US Feet/ Int. Feet/ Feet-Inch
Angle Measurement	Auto Correction
Accuracy	
Reading System	1"
Circle Diameter	Absolute Encoding
Minimum increment	79mm
Detection method	0.1"/ 1"
Tilt Sensor	4 path detection
System	
Working Range	Dual Axis Liquid-Electric Sensor
Resolving Power	+/- 4'
Communication	1"
Communication Ports	
Data Interface	RS-232
Internal Memory	SD Card, USB Port, Bluetooth, Mini USB
Telescope	98M, ready for 833000 data blocks
Image	Erect
Tube Length	152mm
Effective Aperture	45mm
Magnification	30*
Field of View	1°30'
Minimum Focus Distance	1.5m
Resolving Power	3"
Reticle illumination	10 Brightness Level
Plummet	
Laser Plummet	+/- 1.5mm at 1.5m
Level Vials	

प्रमुख प्रशासकीय अधिकृत



Plate Vial		30" / 2mm
Circular Vial		8' / 2mm
Others		
Power Type		Rechargeable Lithium battery
Voltage		7.4V DC,
Operating Time		8 Hours
Dust and Water Protection		IP54
Display		3.5 Inches LCD, 320*240dpi Touch Screen
Keyboard		Alphanumeric Keys, Type Touch Screen
Operating Temperature		-20°C to + 50°C
Prism constant		Auto Correction
EDM Trigger key		Quick Measure key on the side cover
Camera Option		For Target aiming and Record
Tunnel System		Real time graphic display for data collection, 3D coordinate of blast hole profile

- Bidders should be Authorized distributor.
- One Year Warranty.
- 2 Prism Set (Prism+ Pole+ Bipod) and 1pc Heavy Duty Aluminum Tripod should be provided.
- Bidders should have own maintenance and repairing workshop.

प्रमुख प्रशासकीय अधिकारी